





ABOUT US

"Bina Al Hikma" is a trading company established in Dammam, Saudi Arabia as an authorized distributor for "BOSTIK" Construction Chemicals to cater client requirements with quality products. "BOSTIK", a French Company which is the adhesive solution segment of the ARKEMA Group, a world leader in sealing and bonding technologies.

Bina Al Hikma has been associated with Bostik to offer their wide range of quality Sealants and Adhesives for the building and construction industry.

Bina Al Hikma Trading is recognized for offering tailored solutions that meet the specific needs of its clients, ensuring high-quality support and products for construction projects. Their focus on comprehensive solutions positions them as a key player in the construction chemicals market in the whole region.

WE SUPPLY

SEALING & BONDING

- CONSTRUCTION & FACADE **SILICONE (NEUTRAL), POLYURETHANE, HYBRID**
- GRAB & CONSTRUCTION ADHESIVE
- ACRYLIC SEALANT (FOR INTERNAL)
- SANITARY SEALANT
- EXPANDING POLYURETHANE FOAM
- FIRE PROTECTION SYSTEM **FIRESTOP OF LINEAR JOINTS & GAPS** FIRESTOP FOR SERVICE PENETRATIONS
- **HVAC SEALANT, ADHESIVE, TAPE, COATING**

WALL & FLOOR

- **▶ FLOORING PRIMER SELF-LEVELING COMPOUND RESILIENT FLOORING ADHESIVE DOUBLE SIDED TAPES**
- TILE ADHESIVES & TILE GROUTS
- WATERPROOFING **CEMENTITIOUS, ACRYLIC POLYURETHANE, HYBRID BITUMINOUS COATING COAL TAR EPOXY COATING** SHEET MEMBRANE, POLYUREA



EXPANDING

POLYURETHANE

BOSTIK SEAL 'N' FLEX PRECAST 360

High perfomance elastomeric polyurethane joint sealant

PACKING: 600 ml sausages. 20 pcs per box

BOSTIK P590 SEAL 'N' FLEX ONEPLUS

Low modulus professional polyurethane sealant with excellent elasticity

PACKING: 300 ml cartridges & 600 ml sausages, 20 pcs per box

BOSTIK P795 SEAL 'N' FLEX PREMIUM

High modulus fast curing high performance and durable polyurethane sealant

PACKING: 300 ml cartridges & 600 ml sausages, 20 pcs per box

BOSTIK H785 HIGH TACK

Professional hybrid adhesive

with an extremely high initial

PACKING: 290 ml cartridges,

BOSTIK H780 SUPERGRIP

clear hybrid adhesive

Universal high strength crystal

PACKING: 290 ml cartridges,

BOSTIK P330 FOAM 'N' FILL

PACKING: 700 ml cans, 12

One component insulation and

construction expanding pu foam

12 pcs per box

INVISIBLE

12 pcs per box

B3 PU FOAM

pcs per box

SILICONE

BOSTIK S320 SILICONE GP

Versatile acetoxy-cure silicone sealant for expansion and construction joints

PACKING: 280 ml cartridges, 24 pcs per box

BOSTIK S564 SILICONE CONSTRUCT

Premium neutral flexible sealant for facade joints and curtain walls

PACKING: 300 ml cartridges. 25 pcs per box & 600 ml sausages, 20 pcs per box

HYBRID

BOSTIK H725 SEAL 'N' FLEX FACADE

Premium low modulus flexible construction sealant

PACKING: 600 ml sausages. 20 pcs per box

SANITARY SEALANT

BOSTIK S300 SILICONE

Versatile anti-mould acetoxy silicone sealant for sanitary

PACKING: 280 ml cartridges. 24 pcs per box

MULTIPURPOSE

applications

ACRYLIC SEALANT (FOR INTERIORS)

BOSTIK A325 UNIVERSAL **ACRYLIC**

sealing and gap filling - internal only

12 pcs per box

Universal acrylic sealant for

PACKING: 300 ml cartridges,

"BUILDING TOMORROW TOGETHER"

At Bina Al Hikma Establishment, we believe in the power of innovation and quality in construction chemicals to forge strong foundations for a sustainable future. Together, let's create structures that stand the test of time.















SEALING & BONDING

FIRESTOP FOR LINEAR JOINTS AND GAPS

► BOSTIK FP401 FIRESEAL ACRYLIC

1-Component fire resistant acrylic sealant for linear joints and gaps

PACKING: 310 ml cartridges & 600 ml sausages, 12 pcs per

COVERAGE

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

BOSTIK FP403 FIRESEAL HYBRID

Fire resistant hybrid based sealant for linear joints and gaps

PACKING: 290 ml cartridges & 600 ml sausages, 12 pcs per box

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

► BOSTIK FP402 FIRESEAL SILICONE

High quality fire resistant neutral curing silicone sealant for linear joints and joints

PACKING: 310 ml cartridges & 600 ml sausages, 12 pcs per box

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

► BOSTIK FP404 FIRE RETARDANT PU FOAM

1 Component fire resistant expanding polyurethane Foam

PACKING: 750 ml cannister handheld & 750 ml cannister gunfoam, 12 pcs per box

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS



BOSTIK FP310 INTUMESCENT ACOUSTIC ACRYLIC

Fire rated intumescent acoustic acrylic sealant for service penetrations and linear joints

PACKING: 310 ml cartridges & 600 ml sausages, 12 pcs per box

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

BOSTIK FP312 FIRE RETARDANT COATING

Fire retardant sprayable ablative coating to prevent the spread of fire and smoke through openings

PACKING: 8 litre pail

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

BOSTIK FP330 PIPE COLLAR

Pipe collar which quickly expands in case of a fire

BOSTIK FP340 PIPE WRAP

Flexible pipe sleeve which expands in case of a fire

BOSTIK FP311 INTUMESCENT GRAPHITE

Fire rated highly intumescent acrylic sealant for service penetrations

PACKING: 310 ml cartridges, 12 pcs per box

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

► BOSTIK FP320 FIRE BATT

High density fire retardant Stone wool board

PACKING: 50mm x 60mm x 120cm, 1 piece in foil

COVERAGE: Coverage varies depending upon the gap width and depth. refer TDS

BOSTIK FP370 FIRESEAL MORTAR

Highly thermal insulating fire sealing compound

PACKING: 15 kg bag

COVERAGE: Coverage varies depending upon the gap width and depth; refer to the TDS















Authorized Distributor of BOSTIK Products

SEALANT

► BOSTIK IDENDEN 40-317 DUCT SEALANT

Acrylic sealant for use of both low and high velocity HVAC ducts

PACKING: 280 ml cartridges, 12 pcs per box

ADHESIVE

► BOSTIK IDENDEN 10-188 WATER BASED ADHESIVE

Water based adhesive suitable for bonding most types of thermal insulation

PACKING: 10 litre pail

▶ BOSTIK IDENDEN 10-88 GENERAL PURPOSE ADHESIVE

Solvent-based brushing adhesive for bonding thermal insulation to HVAC ducts

PACKING: 19 litre pail

HVAC

TAPE

▶ BOSTIK IDENDEN T100 SELF ADHESIVE REINFORCED FOIL TAPE

Aluminium foil tape reinforced with glass scrim and kraft paper

PACKING: 45 mtr rolls, 75 mm (16 rolls per carton), 100 mm (12 rolls per carton)

► BOSTIK IDENDEN T303 SELF ADHESIVE BRIGHT FOIL TAPE

Bright aluminium foil tape for sealing foil faced insulation materials

PACKING: 45 mtr rolls, 48 mm (24 rolls per carton), 75 mm (16 rolls per carton), 100 mm (12 rolls per carton)

COATING

► BOSTIK IDENDEN 30-90 VAPO SEAL COATING

Fire rated acrylic coating for interior HVAC applications

PACKING: 19 litre drum **COVERAGE:** 2.5 - 5.5 m2 per litre per coat

► BOSTIK IDENDEN 30-90AF VAPO SEAL COATING

Fire rated mould resistant acrylic coating for interior HVAC applications

PACKING: 19 litre drum **COVERAGE:** 2.5 - 5.5 m2 per litre per coat

BOSTIK IDENDEN ET-150AF VAPO BARRIER COATING

Fire rated sprayable acrylic coating for interior and exterior HVAC applications

PACKING: 19 litre drum **COVERAGE:** 2.5 - 4.0 m2 per litre per coat













PRIMERS

BOSTIK GRIP A310 PROJECT

Water-based primer for self-leveling compounds on absorbent substrates

PACKING: 20 kg pail

COVERAGE: 100-150 g/m2

BOSTIK GRIP A500 MULTI

Multi-purpose water-based primer for self-leveling compounds on absorbent and non-absorbant

substrates

PACKING: 20 kg pail

COVERAGE: 90-100 g/m2/laying

SELF-LEVELLING COMPOUND

► SL C320 ARDASOL

Standard self-levelling compound for internal floors for new builds & renovations

PACKING: 25 kg bag

COVERAGE: 1.5 kg/mm/m2

APPLICATION THICKNESS: 1 - 10 mm

SL C510 PRO

Heavy-duty self-levelling compound for internal floors for new builds & renovations

PACKING: 25 kg bag

COVERAGE: 1.5 kg/mm/m2

APPLICATION THICKNESS: 1 - 20 mm

SL C530 LEVEL PRO (NEW PRODUCT)

Heavy-duty self-levelling compound for internal floors for new builds & renovations

PACKING: 25 kg bag

COVERAGE: 1.5 kg/mm/m2

APPLICATION THICKNESS: 1 - 30 mm

RESILIENT FLOORING ADHESIVE

BOSTIK STIX A50 CLASSIC

Economical water-based acrylic adhesive for carpets, vinyl, linoleum, natural fiber mats etc.

PACKING: 22 kg pail COVERAGE: 380 g/m2

BOSTIK STIX A100 PROJECT

Verstile water-based acrylic adhesive for carpets, heterogenous vinyl, pvc, natural fibre mats etc.

PACKING: 20 kg pail

COVERAGE: 250 - 400 g/m2

BOSTIK STIX A200 MULTI VINYL

Multi-purpose water-based acrylic adhesive for both homogeneous and heterogenous vinyl etc. **PACKING:** 6 & 20 kg pail

COVERAGE: 250 - 400 g/m2

BOSTIK STIX P956 2K

2 Part PU based adhesive for heavy duty floor coverings, for indoor and outdoors

PACKING: 6 & 20 kg pail COVERAGE: 250 - 400 g/m2

BOSTIK UNIFIX MODULAR

Solvent Based Acrylic Adhesive for PVC Floor Tiles/Sheets, Foam Backed Vinyls, Linoleum etc.

PACKING: Available in 6, 12 & 20 kg pail

COVERAGE: 300 - 400 g/m2

DOUBLE SIDED TAPE

BOSTIK ROLL

High strength double-sided PSA tape suitable for the fast installation of flooring elements

PACKING: 25mm/50mm/

85mm x 50 mtr

COVERAGE: 1 Reel = 20 mtr long

CEMENTITIOUS

BOSTIK BLOCK X300 CEMENTECH COMBI

Two component semi-flexible cementitious waterproofing membrane

PACKING: Available in 25 kg set consisting of Part-A 20 kg powder and Part-B 5 kg liquid, 60 sets in 1 pallet

COVERAGE: 1.5-2 kg/m2 @ 1 mm

thickness

WATERPROOFING

► BOSTIK BLOCK X500 CEMENTECH C2

Two component flexible cementitious waterproofing membrane

PACKING: Available in 35 kg set consisting of Part-A 25 kg powder and Part-B 10 kg liquid, 64 sets in 1 pallet

COVERAGE: 1.5-2 kg/m2 @ 1 mm

thickness















ACRYLIC - LIQUID APPLIED

► BOSTIK BLOCK A515 MULTI ACRYL

One component liquid applied UV resistant elastomeric acrylic waterproofing membrane

PACKING: 20 kg bucket

COVERAGE: 2.5 m2/litre @ 400

micron thickness

HYBRID - LIQUID APPLIED

BOSTIK WP A350 LIQUID Liquid applied, high performance, UV resistant, elastomeric hybrid waterproofing membrane

PACKING: 25 kg metal can **COVERAGE**: 1.5 kg/m2 min

in two coats

BOSTIK AQUABLOCKER

Liquid applied, high performance, extreme crack-bridging M S polymer waterproofing

PACKING: 1 kg tin & 14 kg bucket

COVERAGE: 1.5 kg/m2 min

in two coats

BITUMINOUS COATING

BOSTIK AQUAROLL B1 FLEX

One component rubberized flexible bitumen emulsion coating

PACKING: 20 & 200 litre drum **COVERAGE**: 1.5 litre/m2 @

1 mm thickness

PU - LIQUID APPLIED

BOSTIK BLOCK P501 PU MONO

One component liquid applied solvented, UV resistant elastomeric polyurethane waterproofing membrane

PACKING: 20 kg bucket

COVERAGE: 1.5 kg/m2 min in two coats

COAL TAR EPOXY COATING

BOSTIK AQUAROLL CT

Solvent free coal tar pitch extended high build epoxy coating

PACKING: 20 litre kit

COVERAGE: 1.5 litre/m2 @ 1 mm

thickness

SHEET MEMBRANE

BOSTIK ARDATEC MEMBRANE

Flexible waterproofing and decoupling fleece laminated membrane

PACKING: 1 roll per box, 1 mtr wide, approx. 0.6 mm thick, 30 m long

POLYUREA

BOSTIK X950 2K POLYUREA

Two-part, liquid applied, cold applied, high build, highly elastic polyurea coating

PACKING: metal drum

Component A - red liquid, 25 kg Component B - clear yellow, 1.5 kg

TILE ADHESIVES & TILE GROUTS

CERABEST GOLD

Ceramic adhesive - class C1TE (EN 12004)

PACKING: 20 kg craft bag, 64 bags in 1 pallet

COVERAGE: 6 - 7 m2 per 20 kg bag @ 6mm notch trowel

CERABEST PROFI

Flexible cementitious tile adhesive - class C2TE-S1 (EN 12004)

PACKING: 20 kg craft bag, 64 bags in 1 pallet

COVERAGE: 2.8 kg per m2

CERABEST FUGA L

Cementitious water and abrasion resistant tile grout, class CG2-WA

(EN 13888)

PACKING: 10 kg craft bag,

60 bags in 1 pallet

COVERAGE: Coverage depends on the size of the tile, the width of the joint & thickness of the tile

CERABEST PLATINUM

High performance tile adhesive - class C2TE (EN 12004)

PACKING: 20 kg craft bag,

64 bags in 1 pallet

COVERAGE: 4 - 7 kg per m2

CERABEST SANITER

Highly flexible cementitious thin set tile adhesive - class C2TE-S2 (EN 12004)

PACKING: 20 kg craft bag, 64 bags in 1 pallet

COVERAGE: 2.8 kg per m2

▶ ARDACOLOR XTREM EASY

High performance epoxy tile adhesive & tile grout, class R2T (EN12004) / class RG (EN 13888)

PACKING: 3.0 kg kit consisting

of part A & B.

COVERAGE: Coverage depends on the size of the tile, the width of the joint & thickness of the tile.























25th Street, Ath Thuqbah Dist, Al Khobar 34625, Kingdom of Saudi Arabia





Products

